



**LIFETIME TOOL®
& BUILDING
PRODUCTS LLC**
LIFETIME ROOF SYSTEM COMPONENTS

LIFETIMETOOL.COM

877-904-1002

JULY 2024 NEWSLETTER

YOU'VE GOT TO SEE THIS!

**Engineered, Patented and Manufactured by
Roofing Experts Who Demand Performance**

**THE ULTIMATE
BATH/DRYER VENT**

US PATENTS D934,409 S 10,927,550 B1



**IT TAKES ALL OF THIS
TO BE THE VERY BEST!**

COMPARE THIS TO THE REST



24GA GALV.
KYNAR® CAP

HIGH TEMP. ASA
POLYMER SUBCAP

SNAP-IN
STAINLESS STEEL SCREEN

KYNAR®/ALUM. DAMPER
& STAINLESS STEEL AXLE

RUBBER DAMPER CUSHIONS
FOR A QUIETER OPERATION

ASA POLYMER
ANGLED BASE

316L STAINLESS CLIPS
& BLACK OXIDIZED
STAINLESS SCREWS

CRIMPED EPDM
WATERTIGHT SEAL

LARGE 24GA
GALV. KYNAR®
ROOF PLATE
FOR A
WATERTIGHT
INSTALLATION
3½" SIDES & 5½" UP

PROPRIETARY
SNAP CONNECTOR

4" - 3" REDUCER

✓ 110 MPH 
WIND DRIVEN RAIN TEST

**✗ HOW'D THE
OTHER GUYS DO?
NOT EVEN CLOSE!**

Independent Testing by Farabaugh Engineering



Product Details:

- Removable cap for service.
- Rubber damper cushions for a quieter operation.
- Large plate for a leak-proof installation.
- Removable snap-in stainless steel screen (for bath venting ONLY)
- Even the black oxide screws are stainless steel, for a lifetime of easy cap removal.
- Built to truly last the life of the roof.
- For use with 3" and 4" pipe.
- The galvanized snap-in drop pipe and 3" adapter are included.
- Made in the USA.

The BDV comes with a removable cap for easy cleaning. The 24 ga. galvanized metal Kynar® clad cap is locked onto a high-temperature ASA polymer sub-cap for exceptional strength and impact. The radiused interior is designed for optimum airflow. An angled ASA interior structure allows for condensation drainage and protection from wind-driven rain.

The substrate's built-in wind walls, weep holes, and rubber damper cushions provide for quieter operation. Passivated stainless steel axle, 316L marine grade stainless steel fastener clips, along with black oxide stainless steel screws for easy removal and a lifetime of service. Removable snap-in stainless steel screen (for bath venting only). 4" galvanized snap-in drop connector and 3" adapter included.

A large Kynar® coated flashing plate allows for a watertight installation.

Learn more: [Ultimate Bath/Dryer Vent](#)

SCHEDULE A PRODUCT DEMONSTRATION



Are you interested but want to learn more about any of our products?

Contact Wanda in our inside sales team for a one-on-one video streaming demo.

wessex@lifetimetool.com

INDUSTRY SPOTLIGHT:

RoofSmart in Auburn, WA



RoofSmart™ is a trusted roof replacement company that has been serving the Greater Seattle area since 2011. We install composition roofing and are THE premier Metal Roofing Installers in the Puget Sound.



WIN A FREE LIFETIME TOOL[®] & BUILDING PRODUCTS HAT OR T-SHIRT!

#BadFlashingMonday

Submit your photos of bad flashing for our #BadFlashingMonday social media posts. We'll tag you and share your submission on our Facebook, LinkedIn, and Instagram pages.



Become a Star!

Film the installation of one of our products. Show off your skills, and you might just become our next star! We'll put your video on our YouTube page and share it around the world!

Make a Creative Testimonial!

Are you a fan of our products? Film a creative testimonial about your experience with our products, and we'll share it across all our platforms.



Get involved, have fun, and win some cool LTT gear!

Click here to [Send Your Submission!](#)

DON'T FORGET OUR ENTIRE PRODUCT LINE!



**PIPE FLASHINGS ARE THE
#1 ROOF LEAK!**

THE SOLUTION IS

**THE ULTIMATE
PIPE FLASHING®**

The [Ultimate Pipe Flashing®](#) is size-specific for PVC, ABS, and some galvanized pipe. For copper and cast iron, you must use [EASYFit™](#) or [EASYSleeve®](#).

**FOR A LIFE OF THE ROOF WATERTIGHT INSTALLATION,
FINISH YOUR INSTALL WITH THE [ULTIMATE PIPE FLASHING®](#).**

**REPLACE 3"/4" CAST IRON
PIPE IN LESS THAN
10 MINUTES!***

EASYFit™
US Patent 9,228,689

**REPLACE CAST IRON OR
COPPER PIPE.**

EASYSleeve®
US Patent 8,984,822

CUT! DROP! GO!



EASYFit™

- Acrylic laminated PVC for color retention and strength.
- Compression fit no glue cap makes for exceptional strength.
- 3 seal gaskets for fit and function.

*See [website](#) for details.



EASYSleeve®


- Formulated from black ASA polymer cap stock (for weatherability) over PVC for strength and impact.
- Addresses pipe size and condition issues.
- It's a quick and simple installation that ensures a weathertight seal.

DESIGNED BY THE FOUNDER OF REAL TOOL® SNOW GUARDS



SquareLock™ LT 200 / LT 300

- Angled set screws help prevent panel damage
- The set screws form an I-Beam structure in the patented square pocket for an incredible hold!
- Oval point stainless steel set



Lifetime Tool® AP 400 / AP 500

- Designed to fit many architectural profiles to .5 inch
- Made from Almag 35, a pure certified aircraft alloy.
- Its incredible elongation makes it super strong.

screws help protect the seam from damage

- Made from Almag 35, a pure certified aircraft alloy. Its incredible elongation makes it super strong
- Available in mill finish or 10 factory applied Kynar® color
- Made in USA.

- Custom-made stainless steel concave and convex opposing set screws provide superior attachment.
- Available in mill finish (stock) or call for special order Kynar® colors.
- Made in USA.



**LIFETIME TOOL®
& BUILDING
PRODUCTS LLC**
LIFETIME ROOF SYSTEM COMPONENTS

Lifetime Tool® & Building Products | 231 Aviation Drive, Winchester, VA 22602

[Unsubscribe lifetimetool@lifetimetool.com](mailto:unsubscribe@lifetimetool.com)

[Update Profile](#) | [Constant Contact Data Notice](#)

Sent by lifetimetool@lifetimetool.com powered by



Try email marketing for free today!