



LIFETIME TOOL® & BUILDING PRODUCTS LLC

LIFETIME ROOF SYSTEM COMPONENTS



LIFETIMETOOL.COM • 877-904-1002

THE ULTIMATE PIPE FLASHING®

U.S. Patent No. D662230 S and 8,484,914 B2

Made from pure silicone. Just like sand, it's made from silica and is 100% stable in the sun.

- ✓ PVC compression collar for an extremely weathertight seal that accommodates for thermal movement
- ✓ Designed for use on flat to very steep roofs (18/12+)
- ✓ Large Kynar® galv. flashing plate allows for watertight install – 4" on the sides and 6" up the roof

DOW CORNING

"Silicone is virtually unaffected by weather — rain, snow, humidity, ozone or the sun's damaging ultraviolet (UV) rays."



Shingle Roofs
Avail. in Dark Bronze or
Matte Black Kynar®



Metal Roofs
Avail. in Dark Bronze
Kynar® or Primer



**Marine-Grade 316L
Stainless Steel**

PVC-ABS-IP	O.D.	ULTIMATE PIPE FLASHING®
1 1/4" PVC	1.66"	125
1 1/2" PVC	1.90"	150
2" PVC	2.375"	200
3" PVC	3.50"	300
4" PVC	4.50"	400



PVC Sizing
for the
Ultimate
Pipe
Flashing!



**GUARANTEED
WATERTIGHT
FOR THE LIFE OF THE ROOF**

See website for details.



RETROFIT PRODUCTS

The Ultimate Pipe Flashing® is size-specific to Schedule 40 PVC. For *Cast Iron* or *Copper Pipes*, you must use *EASYFit™* or *EASYSleeve®*



EASYFit™

U.S. Patent No. 9,228,689 B1

Replace old 3" or 4" cast iron pipe in 10 minutes!

- ✓ Compression fit, no-glue cap for high-strength
- ✓ 3 seal rings provide secure fit and prevents the downdraft of sewer gasses

CAST IRON PIPE	EASYFIT™ / ULTIMATE PIPE FLASHING®
3"	300
4"	400



EASYSleeve®


U.S. Patent No. 8,984,822 B1

Just cut, drop and go!

- ✓ Place over cast iron pipe up to 3" or copper up to 4"
- ✓ Utilizes a nesting cap to address pipe size and condition issues

CAST IRON PIPE	EASYSLEEVE™ / ULT. PIPE FLASHING®
1 1/2"	200
2"	300
3"	400

COPPER PIPE	EASYSLEEVE™ / ULT. PIPE FLASHING®
1 1/4" or 1 1/2"	150
2"	200
3"	300
4"	400



30/40 ADAPTER

- ✓ Easily retrofits Schedule 30 (Radon) to Schedule 40 PVC

THE ULTIMATE BATH/DRYER VENT

U.S. Patent No. D934,409 S, 10,927,550 B1, 11,692,355 B1, other patents pending



- ✓ Removable cap for easy cleaning
- ✓ Rubber damper cushions for quieter operation
- ✓ Large flashing plate for leak-proof install
No sealants or ice & water shield required!
- ✓ For use with 3" and 4" pipe (adapter and drop pipe included)
- ✓ Even the black oxide screws are stainless steel, for a lifetime of easy cap removal!

METAL ROOFS

Available in 5 Colors (or Primer)



Dark Bronze



Slate Gray



Matte Black



Colonial Red



Hartford Green

SHINGLE ROOFS

Available in 2 Colors



Dark Bronze



Matte Black

CLASS 4 HAIL
IMPACT RESISTANT

110 MPH | WIND DRIVEN
RAIN TEST


Independent testing by Farabaugh
Engineering and Testing Inc.

THE ULTIMATE 6" KITCHEN VENT

U.S. Patent No. D934,409 S, 10,927,550 B1, 11,692,355 B1, other patents pending

- ✓ Removable cap for easy cleaning
- ✓ Rubber damper cushions for quieter operation
- ✓ Corrosion-resistant aluminum die-cast structure base
- ✓ Polymer sub-cap provides Class 4 hail impact resistance and lifetime performance
- ✓ Large flashing plate for leak-proof installation – no sealants or ice/water shield required!
- ✓ Removable screen to help prevent pests

Available in Dark Bronze for
Shingle Roofs




THE ULTIMATE ROOF VENT

U.S. Patent No. D934,409 S, 10,927,550 B1, 11,692,355 B1, other patents pending

- ✓ 30 square inches of net free ventilating area (NFA) per unit
- ✓ Large flashing plate for leak-proof installation – no sealants or ice/water shield required!
- ✓ Polymer sub-cap provides Class 4 hail impact resistance and lifetime performance
- ✓ Kynar® coated 24ga galv. steel
- ✓ Removable screen to help prevent pests

Available in Dark Bronze for
Shingle Roofs



SQUARE LOCK™ SNOW GUARDS

U.S. Patent No. 8,898,961 B1

LT 200	.200" = $\frac{3}{16}$ "	24-30ga
LT 300	.300" = $\frac{5}{16}$ "	20-24ga

- ✓ Angled oval point set screws make installation fast & easy, helping prevent panel damage
- ✓ Set screws form an I-Beam structure in the patented square pocket for an incredible hold
- ✓ Made from Almag 35, a pure certified aircraft alloy – its incredible elongation makes it super strong



AVAILABLE IN MILL FINISH OR 10 KYNAR® COLORS

Dark Bronze	Matte Black	Colonial Red	Deep Red	Medium Bronze	Slate Gray	Mansard Brown
Forest Green	Hartford Green	Charcoal Gray				

Everything is made in the USA – even the screws!

The SquareLock™ easily withstands more than 4,150 lbs. of force. The metal roof did not fare so well!

Independent testing performed by Farabaugh Engineering and Testing, Inc.



Designed by the Founder of Real Tool® Snow Guards



LIFETIME TOOL® AP SNOW GUARDS

AP 400	.416" = $\frac{3}{8}$ "
AP 500	.516" = $\frac{1}{2}$ "

- ✓ Designed to fit many architectural profiles, up to 0.5 inch
- ✓ Custom-made stainless steel concave and convex opposing set screws create superior attachment
- ✓ Made from Almag 35, a pure certified aircraft alloy
- ✓ Available in mill finish (stock), or call for special order Kynar® colors



LIFETIME TOOL.COM

877-904-1002



Products qualify for use as components of a FORTIFIED Roof™. Additional requirements, eligibility criteria and restrictions apply. For details, visit FORTIFIEDHome.org.

010626